

# Symbol PPT8800 - Serie

## Accessories / Zubehör

### PPT8800 Family Accessories and Peripherals

#### Batteries



##### Larger Capacity Battery

The PPT 8800 offers a 3.7V, 3400 mAh larger capacity (LCB) lithium Ion battery with replacement battery door. A drained battery charges in approximately five hours.

**Part Number:** 21-60332-01



##### Replacement Door

The PPT 8800 offers a 3.7V, 3400 mAh larger capacity (LCB) lithium Ion battery with replacement battery door. A drained battery charges in approximately five hours.

**Part Number:** KT-61579-01



##### Spare battery

The PPT 8800 uses a 3.7V, 1700 mAh Lithium Ion battery. A drained battery charges in approximately 2.5 hours

**Part Number:** 21-58236-01



##### UBC Base

UBC2000-I500D - UBC 4 Slot (Quad) Base with External Power Supply. Requires an US AC Line Cord (23844-00-00) for Domestic use and the UBC Adapters must be ordered separately

**Part Number:** UBC2000-I500D

#### Cables



##### Attachable Auto Charging Cable

These cables enable auto charging, wall charging, DEX and printer communications, and can be used when appropriate with the universal cable cup

**Part Number:** CBL-8800-100-VCA



**Attachable Comtec/Paxar Printer Cable**

These cables enable auto charging, wall charging, DEX and printer communications, and can be used when appropriate with the universal cable cup

**Part Number:** CBL-8800-100-PAX



**Attachable O'Neil Printer Cable**

These cables enable auto charging, wall charging, DEX and printer communications, and can be used when appropriate with the universal cable cup

**Part Number:** CBL-8800-100-ON1



**Attachable USB cable (Windows Mobile 2003 for Pocket PC PPT88XX only)**

These cables enable auto charging, wall charging, DEX and printer communications, and can be used when appropriate with the universal cable cup

**Part Number:** CBL-8800-100-USB



**Attachable Zebra/Monarch Printer Cable**

These cables enable auto charging, wall charging, DEX and printer communications, and can be used when appropriate with the universal cable cup

**Part Number:** CBL-8800-100-ZEB

**Comm Cable**

Spare communication cable for Serial Cradles

**Part Number:** 170047-000

**DEX Cable**

Attachable DEX cable (Requires Product specific Cable Cup / Adapter)

**Part Number:** CBL-8800-100-DEX



**PPT 8800 Universal Cable Cup**

This convenient and lightweight snap-on cable cup provides the mechanism and flexibility for cable communication and auto charging capability.

**Part Number:** UCC8800-00



**Serial Charging Cable:**

When connected to the terminal's RS-232 port, this cable enables serial communications between the terminal and a local PC or server, and also charges the terminal's battery in approximately 2.5 hours.

**Part Number:** 25-38383-01



**Serial Charging Cable:**

Serial/Charging Cable w/power supply and US line cord

**Part Number:** CBL2700-100U



**Serial Charging Cable:**

Serial/Charging Cable w/power supply (Int'l orders)

**Part Number:** CBL2700-101U

**Carrying Devices**



**Clip Holster**

The easy release clip holster quickly and easily clips on to any belt. The protective holster offers easy access and fast removal of the PPT 8800

**Part Number:** 21-58842-01



**Neck Strap**

This durable strap attaches to the PPT 8800 and is worn in front of the user for hands-free mobility

**Part Number:** NE8623



**Slim Case**

The soft leather slim case offers additional protection when carrying the PPT 8800

**Part Number:** NE1766



**Spare Hand Strap**

All PPT 8800 terminals are shipped with a convenient hand strap. However, additional are available.

**Part Number:** NE0980



**Velcro Holster with belt**

For users who do not wear belts, the velcro clasp holster in combination with a durable nylon adjustable belt is available to secure the PPT 8800 on the user's waist

**Part Number:** 21-58840-01

**Chargers**

**Line Cord**

Line Cord for Single Slot Cradle

**Part Number:** 50-16000-182

**Power Supply**

9V/2A power supply for Single Slot Cradles and charging cable

**Part Number:** 50-14000-107

**Cradles**

**4-Slot Ethernet Cradle:**



This Ethernet Cradle with four bays allows you to synchronize data quickly and easily to any LAN-based PC as well as charge the standard 1700 mAh battery or 3400 mAh larger capacity batteries in the terminal(s). Additionally, the Pistol Grip handle (TRG8800-00) can remain attached to the PPT 8800 terminal(s) for cradle communication and charging. Up to four 4-slot serial cradles can be daisy chained to a 4-slot Ethernet cradle.

**Part Number:** CRD8800-4000E

**4-Slot Ethernet Cradle:**



Four Slot Ethernet Charging Cradle, W/PS,US cord. Accommodates the terminal with the standard 1700 mAh , 3400 mAh battery or TRG8800-00 trigger handle and 1700 mAh battery with Windows Mobile 2003 for Pocket PC versions of the PPT 8800. Note: four slot cradles do not support spare battery charging. Note: four slot cradles do not support spare battery charging. Can use CE or Windows Mobile 2003 for Pocket PC terminals with this cradle.

**Part Number:** CRD8800-400E

**4-Slot Ethernet Cradle:**



Four Slot Ethernet Charging Cradle W/PS. Accommodates the terminal with the standard 1700 mAh , 3400 mAh battery or TRG8800-00 trigger handle and 1700 mAh battery with Windows Mobile 2003 for Pocket PC versions of the PPT 8800. Note: four slot cradles do not support spare battery charging. Can use CE or Windows Mobile 2003 for Pocket PC terminals with this cradle.

**Part Number:** CRD8800-401E

**4-Slot Serial Cradle**



This cradle with 4 bays enables communication between PPT 8800(s) and a host PC, and charges the standard 1700 mAh battery or 3400 mAh larger capacity battery in the terminal(s). Additionally, the Pistol Grip handle (TRG8800-00) can remain attached to the PPT 8800 terminal(s) during cradle communication and charging. Up to four 4-slot serial cradles can be daisy chained together allowing up to 16 terminals to synchronize sequentially.

**Part Number:** CRD8800-4000S

**4-Slot Serial Cradle**



Four Slot Serial Charging Cradle, cable,US cord and PS. Accommodates the terminal with the standard 1700 mAh , 3400 mAh battery or TRG8800-00 trigger handle and 1700 mAh battery with Windows Mobile 2003 for Pocket PC versions of the PPT 8800. Note: four slot cradles do not support spare battery charging. Can use CE or Windows Mobile 2003 for Pocket PC terminals with this cradle.

**Part Number:** CRD8800-400S

**4-Slot Serial Cradle**



Four Slot Serial Charging Cradle, cable,US cord W/PS. Accommodates the terminal with the standard 1700 mAh , 3400 mAh battery or TRG8800-00 trigger handle and 1700 mAh battery with Windows Mobile 2003 for Pocket PC versions of the PPT 8800. Note: four slot cradles do not support spare battery charging.

**Part Number:** CRD8800-401S

**Adapters**

UBC charging adaptor 18/28/88XX

**Part Number:** 21-32665-37

**Single Slot Serial Cradle**

Kit Includes: Single slot serial cradle with communications cable, power supply, and line cord (US). for use with standard 1700 mAh battery only.

**Part Number:** CRD8800-100S

**Single Slot Serial Cradle**

Single Slot Serial Cradle with communications cable, and power supply (International). for use with standard 1700 mAh battery only.

**Part Number:** CRD8800-101S



**Single Slot Serial Cradle**

Kit Includes: CRD8800B-1000S Single slot serial cradle, communications cable, Power supply 50-14000-107 PS, and 50-16000-182 line cord. Supports terminal with 1700 mAh battery, terminal with 3400 mAh battery or terminal with trigger handle. Trigger handle attaches to Windows Mobile 2003 for Pocket PC versions of the PPT 8800 only. Supports one spare 1700 or 3400 mAh battery.

**Part Number:** CRD8800B-100S



**Single Slot Serial Cradle**

Kit Includes: Single slot CRD8800B-1000S serial cradle with communication cable, Power Supply 50-14000-107 supports terminal with 1700 mAh battery, terminal with 3400 mAh battery or terminal with trigger handle . Trigger hand attaches to Windows Mobile 2003 for Pocket PC versions of the PPT 8800 only. Supports one spare 1700 or 3400 mAh battery.

**Part Number:** CRD8800B-101S



**Single Slot Serial Cradle B**

Single slot serial cradle with communication cable supports terminal with 1700 mAh battery, terminal with 3400 mAh battery or terminal with trigger handle. Trigger handle attaches to Windows Mobile 2003 for Pocket PC versions of the PPT 8800 only. Supports one spare 1700 or 3400 mAh battery.

**Part Number:** CRD8800B-1000S

**Vehicle Cradle**

PPT 8800 Vehicle Cradle ( Supports terminal or spare battery charging with either 1700mAh or 3400mAh battery.

**Part Number:** VCD8800-R000

**Printer Vendors**



**Zebra Technologies**

Zebra has been a Partner to Symbol for 10 years. With over 30 years' experience and almost 4 million printers in use, Zebra Technologies delivers thermal printing solutions to Symbol worldwide customers.

[Place an order or learn more.](#)



**O'Neil Printers**

O'Neil has been the leading manufacturer of Symbol compatible printers since 1999. O'Neil designs and manufactures a complete line of thermal bar code label and receipt printers, dot matrix impact printers and a variety of in-stock and custom media solutions.

[Place an order or learn more.](#)

**Screen Guard/Cover**

**Screen protector**

Screen Protector Kit - 3 Pack For use with applications with high touch screen usage

**Part Number:** KT-67526-01

**Security/Lock**

**Security**

Battery security mechanism for cradles in the 8800 product series

**Part Number:** KT-71077-01

**Snap On Accessories**

**Spare cleat**

Spare Cleat for use with TRG8800-00. This part can also be used as a tethering point for use with tethered stylus on PPC 2003 terminals.

**Part Number:** SNE801004



**The MSR 8800-00**

adds the ability to read magnetic stripe data to Symbol's PPT8800 Series pocketable computers without compromising the computer's ergonomic form factor-adding just over an inch to the overall length of the handheld devices. The MSR 8000-00 reads one, two or three tracks of information with a single swipe in either direction.

**Part Number:** MSR8000-00



**Trigger Handle**

For users requiring intensive scanning, a snap-on trigger handle is offered providing the flexibility needed to have gun form factor scanning capabilities. The PPT 8800 trigger handle has one serial connector for printer cable connectivity as well as one serial SMK connector for serial/charging capability through the single slot B and 4-slot serial and Ethernet cradles. Attachable printer cables can be used for printer connectivity from the bottom of the trigger handle.

**Part Number:** TRG8800-00

**Stylus**



**3-Pack Plastic**

All PDT 8100 and 8800 terminals, and SPT 1500s are shipped with a stylus. However, additional metal or plastic styli are available

**Part Number:** 160-0362



**3-Pack Tethered**

All PDT terminals are shipped with a stylus. However, additional metal or plastic styli are available

**Part Number:** 11-43912-03



**500-Pack Plastic**

All PDT 8100 and 8800 terminals are shipped with a stylus. However, additional metal or plastic styli are available

**Part Number:** 11-35244-500

**Spare Plastic Stylus Tethered (50 pack)**

All SPT 1700's and 1800's include a stylus, however, should you want to purchase additional styli, you can purchase a metal stylus or a 50-pack of plastic styli.

**Part Number:** 11-43912-50

